




Geometry

Unit 5:

Geometric & Algebraic Connections



MA_tTHew M. Winking

Slopes:

Match each slope with a graph of a line.

_____ 1. $m = \frac{1}{3}$







_____ 2. $m = -\frac{3}{4}$

_____ 3. $m = -\frac{1}{4}$



_____ 4. $m = -2$

_____ 5. $m = \frac{3}{2}$

_____ 6. $m = 3$



7. Describe the following slopes.






8. Find the slope of a line that passes through the given points.



A. $(-3, 2)$ and $(-1, -4)$

B. the origin and $(-1, 4)$

C. $(4, 2)$ and $(-3, 2)$



9. A directed line segment is a line segment from one point to another point in the coordinate plane. The segment is described by an ordered pair of the directional change of x followed by the directional change of y . Find the components of $\overrightarrow{AB}$ in each problem below.





- C. Point A $(-1, 3)$ &
Point B $(5, -2)$

10. Determine if the given point lies on the given line.

A. Line m : $y = \frac{1}{2}x - 2$
Point A: $(6, 1)$

B. Line n : $3y = -2x + 1$
Point B: $(5, 3)$

11. Determine the equation of the graphed lines:



12. Determine the **slope** and **y-intercept** of each of the linear equations below.

A. $y = \frac{2}{5}x - 3$

B. $3y - 8 = 2x$

C. $y = 5$




D. $x = 3$

13. Graph the following lines:

A. $y = -\frac{3}{2}x - 2$

B. $2y - 4x = 6$

C. $y = 5$ and $x = -4$



14. Given each of the following parameters, determine an equation of each line in slope intercept form.

A. Find the equation of a line with a slope of $\frac{1}{2}$ and y-intercept of 5

B. Find the equation of a line with a slope of $\frac{2}{3}$ and passing through the point $(6, -4)$



C. Find the equation of a line passes through the points $(4, 2)$ and $(-8, 5)$

Sec 5.2 – Geometric & Algebra Connections

Parallel and Perpendicular Lines

Name: _____

1. Describe each pair of lines and determine their slopes.



2. Describe each pair of lines as **Parallel**, **Perpendicular**, **Same**, or **None of These**.

a. $y = 2x + 3$
 $y = -\frac{1}{2}x - 1$

b. $y = 3x - 2$
 $y = 3x + 1$

c. $y = \frac{2}{3}x + 6$
 $y = -\frac{2}{3}x - 3$

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

d. $2x - 6y = 4$
 $-3x + 9y = -6$

e. $-3x = 3y + 6$
 $4x + 4y = 2$

f. $-6y = -3x + 6$
 $4x + 2y = -6$

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

3. Describe each pair of lines as **Parallel**, **Perpendicular**, **Same**, or **None of These**.

a. $y = 3$
 $y = 8$

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

b. $x = 2$
 $y = -4$

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

c. $y = x$
 $y = 2$

Circle One of the Choices			
Parallel	Perpendicular		
Same	None of These		

4. Find the equation of a line in slope intercept form given the following conditions:

- a. Find the equation of a line that is **parallel** to $y = \frac{3}{2}x + 1$ and passes through the point $(-2, 1)$.


- b. Find the equation of a line that is **parallel** to $x = 2y - 4$ and passes through the point $(4, 2)$.

- c. Find the equation of a line that is **perpendicular** to $y = \frac{1}{3}x - 2$ & passes through the point $(3, 2)$.

- d. Find the equation of a line that has a y-intercept of 2 and it is **perpendicular** to a line that passes through the points $(2, 5)$ and $(-1, 4)$.




- e. Find the equation of a line that is **parallel** to the line **m** graphed & passes through the point $(3, 1)$.

- f. Find the equation of a line that is **perpendicular** to the line **m** graphed & passes through the point $(6, 2)$.



5. Given **line r** passes through **$(2, -3)$** and **$(2, 8)$** . Another line, **line t** passes through the points **$(6, 1)$** and **$(9, 1)$** . Can the lines be described as **Parallel**, **Perpendicular**, **Same**, or **None of These**?
6. Given **line s** passes through **$(-1, 5)$** and **$(2, 6)$** . Another line, **line q** passes through the points **$(3, 1)$** and **$(9, 3)$** . Can the lines be described as **Parallel**, **Perpendicular**, **Same**, or **None of These**?
7. Given line **p** passes through **$(2, 4)$** and **$(5, 6)$** . Another line **q** is **perpendicular** to line **p** and passes through the point **$(3, 1)$** . Find another lattice point that also lies on line **q** . (Consider a lattice point to be a point that has integer coordinates).

1. Find the **length** of the following segments



2. Given $A(-2,7)$, $B(4,5)$, $C(-7,-1)$, and $D(3,-6)$, find the **length** of the following segments

a. Segment $\overline{AB}$

b. Segment $\overline{BA}$

c. Segment $\overline{DC}$

d. Segment $\overline{AD}$




3. Given the point A is located at (2,1), which points below are a distance of 5 units away from point A?

a. (5, 5)

b. (-1, 4)

c. (7, 1)

4. Find the midpoint of the following segments




5. Given A(-2,7), B(4,5), C(-7,-1), and D(3,-6), find the midpoint of the following segments

a. Segment $\overline{AB}$


c. Segment $\overline{DC}$

d. Segment $\overline{AD}$


6. Consider the graph of the circle shown. Determine the location of the center of the circle and length of the radius. (assuming AB is a diameter)




7. Consider the graph of the square ABCD. Determine the location of the center of the square and the length of a diagonal.




8. Find the point R that is on the directed line segment $\overrightarrow{PQ}$ that is $\frac{1}{4}$ the distance from P to Q, given $P(-4, -2)$ and point $Q(4, -2)$.




9. Find the point E that is on the directed line segment $\overrightarrow{CD}$ that is $\frac{3}{4}$ the distance from C to D, given $C(2, -4)$ and point $D(-2, 4)$.




10. Find the point O that is on the directed line segment $\overrightarrow{MN}$ that is $\frac{2}{5}$ the distance from M to N, given $M(-4, -1)$ and point $N(4, 3)$.



11. Find the point R that breaks the directed segment $\overrightarrow{ST}$ in a ratio of 1:2, given $S(-4, -2)$ and point $T(5, 1)$.




12. Find the point I that breaks the directed segment $\overrightarrow{GH}$ in a ratio of 1:4, given $G(-3, 3)$ and point $H(4, -2)$.




What is a circle? It is geometrically defined by a set of points or locus of points that are equidistant from a point (the **center**). Consider the circle at the right. What is the length of every segment drawn from center O to a point on the edge of the circle?

How would you find the length of segment OB?




1. **Basic Circles** Graph the following:


A. $x^2 + y^2 = 4$



B. $x^2 + y^2 = 36$




C. $x^2 + y^2 = 20$




2. **Translated Circles** Graph the following:


A. $(x-4)^2 + (y+2)^2 = 9$





B. $(x+3)^2 + (y+1)^2 = 25$



C. $(x+2)^2 + (y-3)^2 = 18$



3. **Equations of Circles** Find the equation of each of the following:



a. $(x \rule{1cm}{0.4pt})^2 + (y \rule{1cm}{0.4pt})^2 = \rule{1cm}{0.4pt}$

b. $(x \rule{1cm}{0.4pt})^2 + (y \rule{1cm}{0.4pt})^2 = \rule{1cm}{0.4pt}$

4. **Equations of Circles** The following design is composed of 3 full circles and 2 semi-circles. Can you find the equations of each and put them in your calculator?


a. $(x \rule{1cm}{0.4pt})^2 + (y \rule{1cm}{0.4pt})^2 = \rule{1cm}{0.4pt}$

b. $(x \rule{1cm}{0.4pt})^2 + (y \rule{1cm}{0.4pt})^2 = \rule{1cm}{0.4pt}$

c. $(x \rule{1cm}{0.4pt})^2 + (y \rule{1cm}{0.4pt})^2 = \rule{1cm}{0.4pt}$

d. $(x \rule{1cm}{0.4pt})^2 + (y \rule{1cm}{0.4pt})^2 = \rule{1cm}{0.4pt}$

e. $(x \rule{1cm}{0.4pt})^2 + (y \rule{1cm}{0.4pt})^2 = \rule{1cm}{0.4pt}$





****** When you put these in your TI-83/84 calculator you will have to solve for y using the square root method you may have to use two equations to describe a complete circle. For example if you wanted to graph the complete circle $(x-4)^2 + (y+2)^2 = 9$. It would require that you use two equations $y_1 = \sqrt{9-(x-4)^2} - 2$ and $y_2 = -\sqrt{9-(x-4)^2} - 2$

5. Finding Standard form of circles. Put the following circles in standard form and graph them.



A. $x^2 + y^2 - 10y + 9 = 0$

B. $x^2 + y^2 - 2x + 8y = -8$



C. $x^2 + y^2 - 6y - 2x = 15$


D. $2x^2 + 2y^2 - 8x + 12y = 6$




Areas:

1. Find the area of the rectangles shown in each graph below.

A.




B.




2. Find the area of the triangles shown in each graph below.

A.




B.




3. Find the area of the circles shown in each graph below. (AB is a diameter represented in both circles.)

A.




B.




Perimeters:

4. Find the perimeter of the rectangles shown in each graph below.

A.




B.




Coordinate Verification and Proofs


5. Prove the triangle ABC shown in the graph is a **RIGHT** triangle using the coordinates of its vertices: A(- 5, 1), B(5,1), and C(4,4).



6. Prove the triangle ABC shown in the graph is an **ISOSCELES** triangle using the coordinates of its vertices: A(- 3, 0), B(1, - 4), and C(5,4).




7. Prove the quadrilateral ABC D shown in the graph is a **PARALLELOGRAM** using the coordinates of its vertices: A(- 4, 3), B(2, 1), C(4, - 4), and D(- 2, - 2).




Coordinate Verification and Proofs


8. Prove the rectangle ABC D shown in the graph has **congruent** diagonals using the coordinates of its vertices: A(-4, 1), B(-3, -3), C(5, -1), and D(4, 3).



9. Prove the parallelogram ABC D shown in the graph has diagonals that bisect each other using the coordinates of its vertices: A(-2, 4), B(-4, -1), C(2, 0), and D(4, 3).




10. Prove the quadrilateral ABC D shown in the graph is a **RECTANGLE** using the coordinates of its vertices: A(-1, 5), B(-4, 2), C(1, -3), and D(4, 0) and showing that consecutive sides are perpendicular.




11. The coordinates of Quadrilateral QRST are Q(- 3, 1), R (- 2, 4), S(4, 2), T(3, - 1)




- a. Algebraically verify that the Quadrilateral is a Rectangle by showing that consecutive sides are perpendicular.






- b. Algebraically verify the diagonals $\overline{QS}$ and $\overline{RT}$ are congruent.



12. Given that the 3 points shown at the right are vertices of a parallelogram, find all of the possible points of the fourth point that would create a parallelogram. There are 3 of them draw each one.



Choosing a Model

Prism	Pyramid	Cylinder	Cone	Sphere	Hemisphere
					
$SA = 2(lh + hw + lw)$ $V = l \cdot h \cdot w$	$SA = LA + B$ $V = \frac{1}{3}l \cdot h \cdot w$	$SA = 2\pi rh + 2\pi r^2$ $V = \pi \cdot r^2 \cdot h$	$SA = \pi rl + \pi r^2$ $V = \frac{1}{3}\pi \cdot r^2 \cdot h$	$SA = 4\pi r^2$ $V = \frac{4}{3}\pi \cdot r^3$	$SA = 2\pi r^2$ $V = \frac{2}{3}\pi \cdot r^3$

1. Which geometric solid would be best to use as a model of the following objects found in the real world.

A.



1a.

B.



1b.

C.



1c.

D.



1d.

E.



1e.

F.



1f.

G.



1g.

H.



1h.

I.



1i.

2. Use geometric models of length and area to help you solve the following problems.

- a. The circumference of a standard bowling ball is 27 inches. A bowling alley uses a bowling ball return machine that will hold 2 rows of bowling balls. The tray to hold the bowling balls in the machine shown in the





diagram has dimensions 19 in. in width by 61 in. in length. How many bowling balls can the tray hold?


2a.

- b. A bicycle uses a chain to drive the rear wheel. The bike shown at the right uses two sprocket gears that are 6 inch in diameter connected by a chain. The chain could be described as a compound figure comprised of a rectangle and 2 semicircles and the length of the rectangle is 16 inches. How long is the chain?



2b.


- c. Approximate the number of vehicles that could fit on the 2 lanes of the race track shown in the picture. Each vehicle needs approximately 18 feet of space. (1 mile = 5280 feet)



2c.

3. Use geometric models of length and area to help you solve the following problems.

- a. The largest of the Great Pyramids is the Pyramid of Giza. It is a square based pyramid. The square's sides are 756 feet and the pyramid has a height of 460 feet. The pyramid was originally covered by lime stone. If a restoration team wanted to resurface the lateral faces with lime stone again which costs about \$5 per square foot of area, how much would that amount of lime stone cost today to resurface the Great Pyramid of Giza.



(Hint: remember that we would only need to resurface the lateral faces)


3a.

- b. A bakery sells both of the cakes shown. The rectangular cake has the dimensions of 13 in. by 9 in. which costs \$30 and the circular cake has a radius of 5 in. which costs \$25. If we assume the cakes are made with the same contents and the height of each cake is the same, which is the better deal? (i.e. which gives you more cake for the amount spent?)



3b.

- c. Jerry purchased a large pizza for a study group that cost \$14. A friend, David, in the study group offered to pay for the pizza slice he was going to eat which was labeled "A" in the diagram. The pizza slice is a sector of the circle with a central angle of 80° . How much should David give Jerry if he only wants to pay for the proportion of the pizza he ate?



3c.


4. Use geometric models of length and area to help you solve the following problems.

- a. One rule of thumb for estimating crowds is that each person occupies 2.5 square feet. Use this rule to estimate the size of the crowd watching a concert in an area that is 150 feet long and 240 feet wide.



4a.


- b. Jessie owns an apple tree orchard in North Georgia. He has approximately 3 trees for every 1400 square feet of land. Jesse has 940 apple trees on his property. The orchard requires exactly half of the land on Jesse's farm. How many acres is Jesse's farm? (1 acre = 43,560 square feet)



4b.


5. Use geometric models of volume to help you solve the following problems.

- a. An autographed baseball is encased in a plastic case. The owner would like to completely fill the rest of the container with an acrylic epoxy to completely preserve the baseball. The interior dimensions of the case are 3 in. by 3 in. by 3 in. The cube perfectly inscribes the ball. How many fluid ounces of acrylic will need to be poured in to fill the remaining space? (1 cubic inch = 0.554 fluid ounces)



5a.


- b. A grounds keeper for a golf course purchased a pile of sand dropped off by a truck for \$70. The manager of the golf course also purchased 16 bags of sand for \$70. Each bag contains 1 cubic foot of sand. Which was the better purchase?



5b.


6. Use geometric models of volume to help you solve the following problems.

- a. At a remote base camp, gasoline is stored in the barrels like the one shown. How many gallons does each barrel hold? (1 gallon = 231 cubic inches)




6a.

- b. A water pitcher is 10 inches in height and 6 inches in diameter. Glasses used at a restaurant are 6 inches in height and 2.5 inches in diameter. If a server at the restaurant completely fills the pitcher with water, how many glasses of water can he completely fill without any ice?



6b.

- c. Two types of ice cubes are designed for drinks. One is in the shape of a perfect cube and another is in the shape of a sphere. They both have the same volume of 27 cm^3 . Determine the surface area of each. The ice with the most surface area will melt the fastest because it has the most contact with the liquid that it is in. Which ice cube should melt the quickest?



6c.